The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : DR-469

Stream : Unnamed Tributary Lake

Of The Woods

Applicant : Marshall County Board of Commissioners

Neal Haeck 9675 King Road

Plymouth, IN 46563-9075

Description : The existing 50' by 4.3' flat-bottomed culvert carrying West Shore Drive will be

replaced with a new culvert pipe to prevent the road from collapsing and blocking the flow of water to the lake. The new crossing will consist of a 50' by 52" long

flat-bottomed culvert pipe. Currently, the old pipe has rusted and partially collapsed. Details of the project are contained in information received electronically at the Division of Water on March 5, 2007 and in plans and information received at the Division of Water on March 8, 2007 and March 13,

2007.

Location : Approximately 1100' south of the East 3rd Road and West Shore Drive

intersection

near Bremen, North Township, Marshall County

SW1/4, NE1/4, NE1/4, Section 1, T 34N, R 2E, Bremen Quadrangle

Quad Code: 4108642

UTM Coordinates: Downstream 4587039 North, 563856 East

Statute/Rule: "Ditch" Act, IC 14-26-5

Application # : FW-24226

Stream : Grassy Creek

Applicant : Fulton County Surveyor

Don Towne

125 East 9th Street

Rochester, IN 46975-1500

Description

: Starting at the outlet and extending upstream approximately 11.1 miles, the stream will be debrushed on one side and up 10 feet from the waters edge on the opposite bank, including any trees leaning over the top of the bank. Silt will be dredged from the stream beginning at the Fulton County Road 800 West crossing and extending approximately 9000 feet upstream to Fulton County Road 950 North. Silt will also be dredged from the stream beginning at the Cass County Road 900 North crossing and extending approximately 6000 upstream. Details of the project are contained in information and plans received at the Division of

Water on March 12, 2007.

Location

Beginning at the outlet into Indian Creek in Pulaski County and extending easterly through Fulton and Cass counties to a point 3/10 mile east of Cass County Road 200 East and 3/10 miles south of County Road 850 North where Grassy Creek

and Sylvester Maroney Ditch meet

DOWNSTREAM: near Star City, Van Buren Township, Pulaski County

SE14, Section 27, T 29N, R 1W, Star City Quadrangle

Quad Code: 4008685

UTM Coordinates: Downstream 4530342 North, 541345 East UPSTREAM: near Fulton, Bethlehem Township, Cass County

SW1/4, Section 8, T 28N, R 2E, Fulton Quadrangle

Quad Code: 4008683

UTM Coordinates: Upstream 4525868 North, 556278 East

Statute/Rule

: Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24227

Stream : Little Indian Creek

Applicant : Fulton County Surveyor

Don Towne

125 East 9th Street

Rochester, IN 46975-1500

Description : Starting at the outlet and extending upstream approximately 3.5 miles, brush will

be cleared from one side of the ditch and up to 10 feet from the waters edge on the opposite bank, including any trees leaning over the ditch. Additionally, a sand bar will be removed. Details of the project are contained in information and plans

received at the Division of Water on March 12, 2007.

Location : Beginning at the outlet into Indian Creek in Pulaski County and extending

southeasterly to the county line between White and Cass Counties DOWNSTREAM: near Star City, Cass Township, White County

NE1/4, Section 3, T 28N, R 2W, Star City Quadrangle

Quad Code: 4008685

UTM Coordinates: Downstream 4528532 North, 531877 East

UPSTREAM: NW1/4, Section 18, T 28N, R 2W

UTM Coordinates: Upstream 4524996 North, 535283 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24228

Stream : Indian Creek

Applicant : Fulton County Surveyor

Don Towne

125 East 9th Street

Rochester, IN 46975-1500

Description

Starting at the outlet and extending upstream approximately 18.9 miles, brush will be cleared from one side of the ditch and up to 10 feet from the waters edge on the opposite bank, including any trees leaning over the ditch. In areas where the ditch is adjacent to public roads, both side of the stream will be debrushed to the top of the bank. Where Indian Creek becomes smaller east of the County Road 500 East in Pulaski County, debrushing will occur on both sides of the stream up to the end of the ditch. Silt will be dredged from approximately 11, 400 feet of the stream between Cass County Road 175 West and State Road 17. Details of the project are contained in information and plans received at the Division of Water on March 12, 2007.

Location

Beginning downstream at the confluence of Indian Creek and the Tippecanoe River in Pulaski County and moving upstream (easterly) through Pulaski, White, Pulaski again, and Cass counties to a point approximately 1/8 mile east of State Road 17.

DOWNSTREAM: near Buffalo, Indian Creek Township, Pulaski County

NW1/4, Section 31, T 29N, R 2W, Buffalo Quadrangle

Quad Code: 4008686

UTM Coordinates: Downstream 4530338 North, 525533 East UPSTREAM: near Fulton, Harrison Township, Cass County

SW1/4, Section 12, T 28N, R 1E, Fulton Quadrangle

Quad Code: 4008683

UTM Coordinates: Upstream 4525633 North, 552778 East

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24229

Stream : Pine Creek

Applicant : Gateway Development

Dan Brekke

56199 Parkway Avenue, Suite 1

Elkhart, IN 46516-9301

Description : A bridge and parking lot will be constructed in association with proposed

residential and commercial developments. Details of the project are contained in

information and plans received at the Division of Water on March 12, 2007.

Location : At the County Road 17 and County Road 14 intersection and extending

approximately 3550' east and 5250' south (to US 20)

DOWNSTREAM: near Elkhart, Jefferson Township, Elkhart County

N½, NW¼, Section 7, T 37N, R 6E, Elkhart Quadrangle

Quad Code: 4108568

UTM Coordinates: Downstream 4615013 North, 592971 East

UPSTREAM: S1/2, SW1/4, Section 7, T 37N, R 6E

UTM Coordinates: Upstream 4613414 North, 593206 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24231

Stream : Whitewater River

Applicant : Wayne County Board of Commissioners

Mary C. Heyob, President 401 East Main Street Richmond, IN 47374-4211

Description : The existing two span steel beam and concrete deck superstructure will be

replaced with a new two span prestressed concrete box beam and deck

superstructure with span lengths of 7'. The existing superstructure and a portion of the substructure will be removed. The approach roads will be elevated a maximum of 7.94" above existing grade. The existing roadway profile will be maintained. Riprap will be placed over geotextile fabric. Details of the project are contained in information and plans received at the Division of Water on March 13,

2007 and March 29, 2007.

Location : Bridge # 192 at the Teetor Road stream crossing

near Hagerstown, Jefferson Township, Wayne County

SE1/4, SE1/4, SW1/4, Section 23, T 17N, R 12E, Hagerstown Quadrangle

Quad Code: 3908582

UTM Coordinates: Downstream 4418642 North, 657805 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24234

Stream : Unnamed Tributary Indian

Creek

Applicant : Harold Reeves

609 West 700 South Ladoga, IN 47954-8018

Description : A wet crossing measuring approximately 16' by 30' composed of rip rap with #1

stone is proposed to carry farm machinery across the creek. Rip rap and stone will be placed with a 2' base with finished grade equivalent to the existing lake bed. Side slopes will be #2 stone at a 3:1 slope. Details of the project are

contained in information and plans received at the Division of Water on March 16,

2007.

Location : Across Servies Ditch, located 0.5 mile north of State Road 234 and 126' west of

R/W marker located south of State Road 231 bridge, 7.5 miles south of

Crawfordsville

near Crawfordsville, Scott Township, Montgomery County

Section 18, T 17N, R 4W, New Market Quadrangle

Quad Code: 3908688

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24235

Stream : Goose Creek

Applicant : R.M Chambers

Jack Chambers

725 Burlington Avenue Logansport, IN 46947-4747

Description : A 60' by 110' addition will be constructed on the north end of the existing

commercial building. The addition will be constructed to match existing building

floor elevation at an elevation of 597.75, NGVD. Details of the project are

contained in information and plans received at the Division of Water on march 16,

2007.

Location : 725 Burlington Avenue; approximately 1500' south and 900' west of the

Burlington Avenue and Clay Street intersection, extending 200' northeast and

100' northwest

DOWNSTREAM: at Logansport, Washington Township, Cass County

T 27N, R 1E, J B Richardville Reserve No 2, Anoka Quadrangle

Quad Code: 4008663

UTM Coordinates: Downstream 4510125 North, 553005 East

UPSTREAM:

UTM Coordinates: Upstream 4510125 North, 553005 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24237

Stream : Bruce Lake Outlet

Applicant : Lake Bruce Conservancy District

Norm Steigley

1516 N. Lakeshore Dr. Kewanna, IN 46939-9593

Description

The proposed project includes the installation of vacuum and forced main sewer collection piping directing waste to the proposed wastewater treatment plant to be located near the northwest corner of Bruce Lake. The sewer pipeline will be installed beneath public road right-of-way and a former railroad right-of-way. The collection pipes will need to cross Overmyer Ditch, a County ditch that runs under County Road West 200 North, and the Lake Bruce outlet. The Overmeyer Ditch and the Lake Bruce Outlet vacuum sewer collection pipes will run above the streams either attached to the bottom or side of the bridges. The County ditch and the Overmyer Ditch will both have 4" pipes directionally drilled beneath the bottom of the streams. The top of these pipes will be at least 3' below the bottom of the streambed. The proposed project does not intend to impact any wetland areas. The pipes crossing the three streams are designed to be installed with little to no impact to the stream area. The east vacuum station will be constructed on the upland knoll out of the surrounding wetland areas. Details of the project are contained in information and plans received at the Division of Water on February 23, 2007.

Location

Beginning along West South Park Road and extending west around the perimeter

of Lake Bruce to Valparaiso Street

DOWNSTREAM: near Kewanna, Union Township, Fulton County

Section 7, T 30N, R 1E, Kewanna Quadrangle

Quad Code: 4108614

UTM Coordinates: Downstream 4546855 North, 545140 East

UPSTREAM:

UTM Coordinates: Upstream 4548085 North, 545035 East

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24240

Stream : Crown Creek

Applicant : Town of Centerville

Dan Wandersee, Council President

204 East Main Street Centerville, IN 47330-1208

Description : A 12" diameter HDPE sanitary sewer pipeline encased in an 18" steel pipe will be

installed along the streambed and 4' below the streambanks. The open trench

construction method will be used. Details of the project are contained in information and plans received at the Division of Water on March 19, 2007

Location : The project is located approximately 425 feet west and 90 feet north of the

intersection of North Spruce Street and West Plum Street

at Centerville, Center Township, Wayne County

NW1/4, SE1/4, SE1/4, Section 19, T 16N, R 14E, Richmond Quadrangle

Quad Code: 3908478

UTM Coordinates: Downstream 4409579 North, 671233 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24245

Stream : Wabash River

Applicant : West Plains Mining, LLC

William Woodward

PO Box 584

Wabash, IN 46992-0584

Description

: A purposed crushed limestone quarry operation will be developed along the north bank of the Wabash River, with excavation taking place on both sides of Kentner Creek. Construction activities include two open pit excavation areas, removing an average of 21' of clay overburden and an estimated 250' of dolomite limestone. The western extraction area is 82.616 acres and the eastern extraction area is 80.251 acres. Extraction will cease 100' from Kentner Creek on both the east and west sides. All overburden will be sloped at a 4 to 1 ratio in the excavation area. Additionally, a 9.469 acre fill area for crushed stone processing and stockpiling will located between the western excavation area and Carlin Branch. Some fill will be required to provide a level operation area and will be sloped at a 6 to 1 ratio to existing surrounding grades. Details of the project are contained in information and plans received at the Division of Water on March 20, 2007.

Location

: Along the north bank of the Wabash River and both the east and west banks of Kentner Creek and Carlin Branch beginning at a point 3,065 feet east/northeast of Rich Valley.

DOWNSTREAM: near Richvalley, Noble Township, Wabash County SW¼, SW¼, SE¼, Section 13, T 27N, R 5E, Richvalley Quadrangle

Quad Code: 4008578

UTM Coordinates: Downstream 4515087 North, 591748 East UPSTREAM: near Richvalley, Noble Township, Wabash County SE¼, NE¼, SE¼, Section 18, T 27N, R 6E, Richvalley Quadrangle

Quad Code: 4008578

UTM Coordinates: Upstream 4515438 North, 593947 East

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24248

Stream : Big Walnut Creek

Applicant : Vectren Energy Delivery of Indiana

Greg R. Mathias 600 Industrial Drive

Franklin, IN 46131-9616

Description : A 12 inch diameter gas line will be placed beneath Big Walnut Creek to provide

natural gas to Greencastle Indiana. The line will be placed by the Directional Bore method. It will have a minimum of 5 ft of cover beneath the streambed and 5 ft in the banks. The line will not be encased below the streambed. Details of the project are contained in information received electronically at the Division of

Water on March 22, 2007.

Location : The crossing is located in Putnam County along the East line of Section 36, which

is north of County Road 200 North and east of County Road 275 East

near Greencastle, Monroe Township, Putnam County Section 36, T 15N, R 4W, Greencastle Quadrangle

Quad Code: 3908667

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24250

Stream : Deep River

Applicant : Lake Station Parks & Recreation

Dewey R Lemley 2701 Ripley

Lake Station, IN 46405-2307

Description : An 8' tall by 298' long wood panel fence will be constructed around the perimeter

of an archery range. An additional 126' of the wood panel fence, a 114' chain link fence, an open sided shelter and asphalt parking lot will be constructed landward

of the floodway. Detalls of the project are contained in information received electronically at the Division of Water on March 27, 2007.

Location : The archery would be constructed in the northeast section of the lower level at

Riverview Park

DOWNSTREAM: at Lake Station, Hobart Township, Lake County SE¹/₄, NW¹/₄, Sw¹/₄, Section 16, T 36N, R 7W, Portage Quadrangle

Quad Code: 4108752

UTM Coordinates: Downstream 4601997 North, 480205 East

UPSTREAM:

UTM Coordinates: Upstream 4601961 North, 480236 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24251

Stream : Vestal Ditch

Applicant : Maefield Development

Lori North

250 East 96th Street

Indianapolis, IN 46240-3781

Description

: Approximately 1.3 acres of emergent wetland will be created adjacent to the west bank of Emily Vestal Ditch south of 161st Street, Hamilton County Indiana. 1048 cubic yards, or approximately 0.5 feet depth, of soil will be excavated and placed outside the regulatory floodway. Silt fence will be erected prior to construction for erosion control and the wetland will be planted with native vegetation. Additional information is included within the supplemental submittal documents. Details of the project are contained in information received electronically at the Division of Water on March 27, 2007.

Location

The wetland mitigation area is located within the White River Watershed HUC-05120201090020 with the coordinates of 40°01'03N Latitude, 86°03'20W Longitude. The mitigation is located in the southeast quarter of Section 10, Township 18 North, and Range 4 East in the Noblesville USGS 7.5 Minute Quadrangle map. To reach this location from Indianapolis, Go north on US 31 approximately 17 miles to Greyhound Pass. Turn right onto East Greyhound pass and then turn left onto 146st Street. Continue east on 146th street approximately 2.7 miles to Hazel Dell Road. Turn left onto Hazel Dell Road, continue north for 1.5 miles. Turn right (east) on to 161st Street for approximately 0.6 mile, the mitigation site is east of Bays Drive on the right. The proposed mitigation site is located south of 161st street adjacent to the west bank of Vestal Ditch.

near Westfield, Noblesville Township, Hamilton County SE¼, Section 10, T 18N, R 4E, Noblesville Quadrangle

Quad Code: 4008611

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24253

Stream : Clarks Creek

Applicant : Homes By MEad

Chuck MEad

1856 Stafford Road

Plainfield, IN 46168-2339

Description : This permit is to allow an existing 24' x 30' Pole Barn within the floodway of

Clarks Creek. Said pole barn has an approximate elevation of 722.42. The Flood Maps show an approximate elevation of 724.00. The exisitng pole barn has a stoen floor and no electrical service. Details of the project are contained in information received electronically at the Division of Water on March 28, 2007.

Location : 1,000 L.F. downstream of the Stanley Road (CR 500 South) stream crossing od

Clarks Creek

at Plainfield, Guilford Township, Hendricks County

Section 2, T 14N, R 1E

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : PL-20692

Lake : Webster Lake

Applicant : Cindy Mueller

Steve Brown

166 EMS West 17 Lane North Webster, IN 46555

Description : A concrete seawall will be constructed across 100' of the applicant's frontage.

The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the

Division of Water on March 16, 2007.

Location : 166 EMS W17 Lane; Lots 5 and 6 in Hiner Park

near North Webster, Tippecanoe Township, Kosciusko County

NE1/4, SW1/4, SW1/4, Section 12, T 33N, R 7E, North Webster Quadrangle

Quad Code: 4108536

UTM Coordinates: Downstream 4575783 North, 611502 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20700

Lake : Big Chapman Lake

Applicant : Edward Boyts

14893 Van Pelt Drive Goshen, IN 46526-8541

Description : A concrete seawall will be refaced with a layer of concrete across 60 ' of the

applicant's 60' frontage. The reface layer will be keyed to the wall's lakeward face. In addition, a 30' by 30' underwater beach will be constructed by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on March 21, 2007.

Location : Lot 33, Pence and Harmon's Chapman Lake Fork

near Warsaw, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20702

Lake : Irish Lake

Applicant : KENNETH HAACK

1 EMS B37 LANE LOT 9 WARSAW, IN 46582-9714

Description : A new seawall will be constructed across 55 ft of the 55 ft frontage of the

applicant along Irish Lake to deter shoreline erosion. The wall will consist of poured in place concrete which will be sloped on the lakeward side. It will be 48 inches high and will vary uniformly in thickness from 13 inches to 30 inches from the base to the top. The lakeward face of the wall will be legal shoreline. Details of the project are contained in information received electronically at the Division of

Water on March 27, 2007.

Location : 1 EMS B37 LN LOT 9; South side of Irish Lake, Legal Description: 005-113-026

Pt ME 29-33-7 109.90a

near Warsaw, Tippecanoe Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20703

Lake : Lake Wawasee

Applicant : Wayne C Turner

8153 North Illinois Street Indianapolis, IN 46260-2940

Description : An existing concrete seawall will be refaced across a portion of the 88 ft frontage

of the applicant on Lake Wawasee to prevent deterioration. The refacing will consist of concrete which will be tied to the existing wall with heavy rebar. The refacing will have a maximum thickness of 12 inches and will be sloped on the lakeward side. A 12 inch wide layer of concrete will be placed at the base of the wall for toe protection. An 8 inch wide layer will be added to the top, making it such that an approximately 20 inch walkway will exist on the top of the refaced wall. Details of the project are contained in information received electronically at

the Division of Water on March 27, 2007.

Location : 6134 East Elwood Street; Pier 663 on Lake Wawasee (west end, near Conklin

Bay).

at Syracuse, Turkey Creek Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20704

Lake : Fish Lake

Applicant : John C. Montel

Carol D. Montel

1105 South 495 East

LaGrange, IN 46761-9595

Description : A new seawall will be constructed along the frontage of the applicant on Fish

Lake to deter shoreline erosion. The wall will be composed of 2 inch to 12 inch diameter rocks and will be approximately 78 ft long. Its lakeward face will be at the legal shoreline of the lake. Details of the project are contained in information

received electronically at the Division of Water on March 28, 2007.

Location : 1105 South 495 East; Lot 23 and the east half of lot 24

near LaGrange, Bloomfield Township, LaGrange County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20705

Lake : Knapp Lake

Applicant : Clifton R Mast

418 South First Street Kimmell, IN 46760-9788

Description : An existing underwater beach will be improved in front of the property of the

applicant on Knapp Lake to prevent further beach erosion. A 4 inch layer of 7/64 inch clean, washed pea gravel will be placed directly on top of the remaining sand. The placement will begin approximately 50ft south of the southern property

line and will extend easterly across 20 ft of the 300 ft frontage. It projects lakeward for the lessor of 30 ft or a depth of 4 -6 ft below the average normal level of the lake. Details of the project are contained in information received

electronically at the Division os Water on March 28, 2007.

Location : North Side of Knapp Lake, by Main Pier, NOT to extend to along channel.

at Kimmell, Albion Township, Noble County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20708

Lake : Jimmerson Lake

Applicant : Francene Foster

400 Lane 425 Jimmerson Lake

Fremont, IN 46737-9380

Description : A new 82' vinyl seawall will be constructed along 90' of the applicant's property

following the channels average/legal shoreline. The wall will consist of 18"x 8' sheets driven 6' into the lakebed leaving a 2' exposure from the channel bottom. The wall will then be caped with an aluminum cap with a heavy aluminum whale insert under the cap that will be tied back to the bank every 4.5' with are deadmen system. Clean pea stone will be used for backfill behind the wall then topped of with 3 to 4" of screened topsoil graded to the existing ground level. Details of the project are contained in information received electronically at the Division of

Water on March 30, 2007.

Location : house number 400 on lane 425

Near Fremont, Jamestown Township, Steuben County

Section 32, T 38N, R 13E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake